BRUSH

DESIGN : BRUSH | BH-7281

DESIGN-1



BH-7220



BH-7221

DESIGN : BRUSH | BH-7220

DESIGN-2

DESIGN : BRUSH I BH-7260

BH-7260



BH-7261

DESIGN-3



BH-7270



BH-7271

BH-7280



BH-7281

DESIGN : BRUSH I BH-7270

SPECIFICATIONS

Construction	Multi - Level Loop / Texture Loop
Yarn	Econyl Nylon (Aquafil)
Colour System	100% Solution Dyed
Gauge	1/12
Stitches	12 Per Inch
Pile Weight	18oz/yd2
Total Weight	4000 ± 100 g/m2
Pile Height	3 - 5 mm (±0.5mm)
Primary Backing	Non Woven
Secondary Backing	Modified Bitumen with Glass Fiber and Non Woven Fabric.Recycle content, No Volatile organic compound (VOC)

Tile Size	50 cm x 50 cm
Area of Use	Heavy Commercial
Smoke Density Test	ASTM E 662
Fire Class	ASTM D 2859/CPSC FF 1-70 FLAMMABILITY TEST ASTM R 648 RADIANT PANAL TEST
Adhesive	100% water based with 0 VOC content or equivalent/ Modified BTN
Static Generation	Maximum 3KV
Sound absorption	25 Db
Static Control	AATCC - 175 STAIN RESISTANCE
Warranty	5 Years








WESTWOOLS

Green Industry กระทรวงอุตสาหกรรม

ISO 9001 : 2008 TICA QMS : TQ-112

ISO14001 : 2004 TICA EMS : TE-044

CRI THE CARPET AND RUG INSTITUTE

ANSI ANSI Accredited Program PRODUCT CERTIFICATION

CRI GREEN LABEL PLUS