




SUDNEY

DESIGN : SUDNEY | SU-7780


DESIGN-1




SU-7760




DESIGN-2



SU-7721



SU-7720



SU-7722




DESIGN : SUDNEY | SU-7722 + SU-7770


DESIGN-4



SU-7781



SU-7770



SU-7780









SU-7782



DESIGN : SUDNEY | SU-7781

SPECIFICATIONS

Construction	Multi - Level Loop / Texture Loop	Tile Size	50 cm x 50 cm
Yarn	Econyl Nylon (Aquafil)	Area of Use	Heavy Commercial
Colour System	100% Solution Dyed	Smoke Density Test	ASTM E 662
Gauge	1/12	Fire Class	ASTM D 2859/CPSC FF 1-70 FLAMMABILITY TEST
Stitches	12 Per Inch		ASTM R 648 RADIANT PANAL TEST
Pile Weight	18oz/yd ²	Adhesive	100% water based with 0 VOC content or equivalent/ Modified BTN
Total Weight	4000 ± 100 g/m ²	Static Generation	Maximum 3KV
Pile Height	3 - 5 mm (±0.5mm)	Sound absorption	25 Db
Primary Backing	Non Woven	Static Control	AATCC - 175 STAIN RESISTANCE
Secondary Backing	Modified Bitumen with Glass Fiber and Non Woven Fabric. Recycle content, No Volatile organic compound (VOC)	Warranty	7 Years



WESTWOOLS INTERNATIONAL CO., LTD.

Block No. 176 Suranaree Industrial Zone Moo 3, Ratchasima-Chokchai.,
T.Nongbuasala, Muang, Nakhon Ratchasima 30000, Thailand